


A Graphing Calculator is not allowed for these problems.

5. Consider the differential equation $\frac{dy}{dx} = \frac{y-1}{x^2}$, where $x \neq 0$.

(a) On the axes provided, sketch a slope field for the given differential equation at the nine points indicated.

(Note: Use the axes provided in the exam booklet.)




(b) Find the particular solution $y = f(x)$ to the differential equation with the initial condition $f(2) = 0$.

(c) For the particular solution $y = f(x)$ described in part (b), find $\lim_{x \rightarrow \infty} f(x)$.

5. Consider the differential equation $\frac{dy}{dx} = x^4(y - 2)$.

- (a) On the axes provided, sketch a slope field for the given differential equation at the twelve points indicated.
(Note: Use the axes provided in the test booklet.)




- (b) While the slope field in part (a) is drawn at only twelve points, it is defined at every point in the xy -plane. Describe all points in the xy -plane for which the slopes are negative.
- (c) Find the particular solution $y = f(x)$ to the given differential equation with the initial condition $f(0) = 0$.
-

5. Consider the differential equation $\frac{dy}{dx} = \frac{1+y}{x}$, where $x \neq 0$.

(a) On the axes provided, sketch a slope field for the given differential equation at the eight points indicated.

(Note: Use the axes provided in the pink exam booklet.)




(b) Find the particular solution $y = f(x)$ to the differential equation with the initial condition $f(-1) = 1$ and state its domain.

5. Consider the differential equation $\frac{dy}{dx} = (y - 1)^2 \cos(\pi x)$.

(a) On the axes provided, sketch a slope field for the given differential equation at the nine points indicated.

(Note: Use the axes provided in the exam booklet.)



(b) There is a horizontal line with equation $y = c$ that satisfies this differential equation. Find the value of c .

(c) Find the particular solution $y = f(x)$ to the differential equation with the initial condition $f(1) = 0$.

Question 5


Consider the differential equation $\frac{dy}{dx} = \frac{y-1}{x^2}$, where $x \neq 0$.

(a) On the axes provided, sketch a slope field for the given differential equation at the nine points indicated.


(Note: Use the axes provided in the exam booklet.)

(b) Find the particular solution $y = f(x)$ to the differential equation with the initial condition $f(2) = 0$.

(c) For the particular solution $y = f(x)$ described in part (b), find $\lim_{x \rightarrow \infty} f(x)$.



(a)



2 : $\begin{cases} 1 : \text{zero slopes} \\ 1 : \text{all other slopes} \end{cases}$

$$(b) \frac{1}{y-1} dy = \frac{1}{x^2} dx$$

$$\ln|y-1| = -\frac{1}{x} + C$$

$$|y-1| = e^{-\frac{1}{x} + C}$$

$$|y-1| = e^C e^{-\frac{1}{x}}$$

$$y-1 = ke^{-\frac{1}{x}}, \text{ where } k = \pm e^C$$

$$-1 = ke^{-\frac{1}{2}}$$

$$k = -e^{\frac{1}{2}}$$

$$f(x) = 1 - e^{\left(\frac{1}{2} - \frac{1}{x}\right)}, x > 0$$

6 : $\begin{cases} 1 : \text{separates variables} \\ 2 : \text{antidifferentiates} \\ 1 : \text{includes constant of integration} \\ 1 : \text{uses initial condition} \\ 1 : \text{solves for } y \end{cases}$

Note: max 3/6 [1-2-0-0-0] if no constant of integration

Note: 0/6 if no separation of variables


$$(c) \lim_{x \rightarrow \infty} 1 - e^{\left(\frac{1}{2} - \frac{1}{x}\right)} = 1 - \sqrt{e}$$

1 : limit


Question 5

Consider the differential equation $\frac{dy}{dx} = x^4(y - 2)$.

- (a) On the axes provided, sketch a slope field for the given differential equation at the twelve points indicated.
 (Note: Use the axes provided in the test booklet.)
- (b) While the slope field in part (a) is drawn at only twelve points, it is defined at every point in the xy -plane. Describe all points in the xy -plane for which the slopes are negative.
- (c) Find the particular solution $y = f(x)$ to the given differential equation with the initial condition $f(0) = 0$.



(a)



- (b) Slopes are negative at points (x, y) where $x \neq 0$ and $y < 2$.

(c) $\frac{1}{y-2} dy = x^4 dx$

$$\ln|y-2| = \frac{1}{5}x^5 + C$$

$$|y-2| = e^C e^{\frac{1}{5}x^5}$$

$$y-2 = Ke^{\frac{1}{5}x^5}, K = \pm e^C$$

$$-2 = Ke^0 = K$$

$$y = 2 - 2e^{\frac{1}{5}x^5}$$

- 1 : zero slope at each point (x, y) where $x = 0$ or $y = 2$
- 2 : { positive slope at each point (x, y) where $x \neq 0$ and $y > 2$
- 1 : { negative slope at each point (x, y) where $x \neq 0$ and $y < 2$

1 : description

- 6 : { 1 : separates variables
 2 : antiderivatives
 1 : constant of integration
 1 : uses initial condition
 1 : solves for y
 0/1 if y is not exponential


Note: max 3/6 [1-2-0-0-0] if no constant of integration

Note: 0/6 if no separation of variables

Question 5


Consider the differential equation $\frac{dy}{dx} = \frac{1+y}{x}$, where $x \neq 0$.

- (a) On the axes provided, sketch a slope field for the given differential equation at the eight points indicated.
(Note: Use the axes provided in the pink exam booklet.)



- (b) Find the particular solution $y = f(x)$ to the differential equation with the initial condition $f(-1) = 1$ and state its domain.

(a)



(b) $\frac{1}{1+y} dy = \frac{1}{x} dx$

$$\ln|1+y| = \ln|x| + K$$

$$|1+y| = e^{\ln|x|+K}$$

$$1+y = C|x|$$

$$2 = C$$

$$1+y = 2|x|$$

$$y = 2|x| - 1 \text{ and } x < 0$$

or

$$y = -2x - 1 \text{ and } x < 0$$

2 : sign of slope at each point and relative steepness of slope lines in rows and columns


6 : { 1 : separates variables
2 : antiderivatives
1 : constant of integration
1 : uses initial condition
1 : solves for y

7 : { Note: max 3/6 [1-2-0-0-0] if no constant of integration
Note: 0/6 if no separation of variables
1 : domain

Question 5


Consider the differential equation $\frac{dy}{dx} = (y-1)^2 \cos(\pi x)$.

- (a) On the axes provided, sketch a slope field for the given differential equation at the nine points indicated.
(Note: Use the axes provided in the exam booklet.)



- (b) There is a horizontal line with equation $y = c$ that satisfies this differential equation. Find the value of c .
(c) Find the particular solution $y = f(x)$ to the differential equation with the initial condition $f(1) = 0$.

(a)



- (b) The line $y = 1$ satisfies the differential equation, so $c = 1$.

(c)
$$\frac{1}{(y-1)^2} dy = \cos(\pi x) dx$$

$$-(y-1)^{-1} = \frac{1}{\pi} \sin(\pi x) + C$$

$$\frac{1}{1-y} = \frac{1}{\pi} \sin(\pi x) + C$$

$$1 = \frac{1}{\pi} \sin(\pi) + C = C$$

$$\frac{1}{1-y} = \frac{1}{\pi} \sin(\pi x) + 1$$

$$\frac{\pi}{1-y} = \sin(\pi x) + \pi$$

$$y = 1 - \frac{\pi}{\sin(\pi x) + \pi} \text{ for } -\infty < x < \infty$$

$$2 : \begin{cases} 1 : \text{zero slopes} \\ 1 : \text{all other slopes} \end{cases}$$

$$1 : c = 1$$

$$6 : \begin{cases} 1 : \text{separates variables} \\ 2 : \text{antiderivatives} \\ 1 : \text{constant of integration} \\ 1 : \text{uses initial condition} \\ 1 : \text{answer} \end{cases}$$

Note: max 3/6 [1-2-0-0-0] if no constant of integration

Note: 0/6 if no separation of variables